Northeast Washington County Water System

PWS ID: **TX2390043**



Annual Water Quality Report 2020

Message from Darrin Barker, President

Dear Corix Utilities Texas Customers,

I am pleased to share your Annual Water Quality Report for 2020. This report is designed to inform you of the quality of water we delivered to you over the past year.

As your community water utility, we fully appreciate our role in the local community. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. This report includes information to keep you informed of what's working and where we continue to work hard to deliver safe, reliable, and cost-effective service.

We are proud to share this report which is based on water quality testing through December 2020. We continually strive to supply water that meets or exceeds all federal and state water quality regulations.

Our dedicated team of local water quality experts works every day to ensure that you, our customer, are our top priority and that we are providing the highest quality service – now and in the years to come.

Best regards,

1 Dan Bil

Visit us online at
www.corixtexas.com Or
Join us on Facebook
@corixtexas

Este reporte incluye información importante sobre el agua para tomar. Para asistencia en español, favor de llamar al teléfono (877) 718-4396.

COVID-19 Response

According to the Centers for Disease Control and Prevention (CDC) and the US Environmental Protection Agency (EPA), the virus that causes <u>COVID-19 has not been detected in drinking water</u>. Conventional water treatment methods that use disinfection, such as those provided by Corix Utilities Texas, should remove or inactivate the virus that causes COVID-19 as they do for other pathogens.

Based on current evidence, the risk to water supplies remains low. Customers can continue using and drinking tap water as usual. The EPA also encourages the public to help keep household plumbing and our nation's water infrastructure operating properly by only flushing toilet paper. Disinfecting or other sanitary wipes, including those labeled as "flushable" and other non-toilet paper items, should NOT be flushed in toilets.

For more information, visit the CDC at https://www.cdc.gov/coronavirus/2019-ncov/php/water.html and EPA at https://www.epa.gov/coronavirus/coronavirus-and-drinking-water-and-wastewater.

Source of Drinking Water

The Northeast Washington County Water System gets its water from six (6) wells. It is considered a ground water source which draws water from an aquifer. An aquifer is a geological formation that contains water and this well draws water from the Jasper and Jackson Group Aquifers. Water quality results from the well reveal that the drinking water supply is of good quality, however there are some iron issues so we treat for iron and add chlorine for disinfection.

After pumping the water from the wells the water goes through a filtration unit and is disinfected through a chlorination process to ensure the water is microbiologically safe (free from bacteria, viruses, and protozoan parasites). It is important to note that all drinking water contains some naturally occurring contaminants that are not harmful to our health. In fact, some minerals provide low levels of nutritional value and actually improve the taste of drinking water. After the drinking water has been thoroughly treated at the water treatment facility, we deliver it to homes and businesses through an underground network of pipes.

Individual homes use service lines to tap into larger, underground water main lines. The water is then passed through a water meter so that the amount of water the household uses can be accurately calculated. The water then flows throughout the home so whenever you turn on your faucet for a drink, you are assured clean, safe water for your entire family.

We are pleased to report that our drinking water meets all federal and state requirements.

Help Protect our Resources

Help put a stop to the more than 1 trillion gallons of water lost annually nationwide due to household leaks. These easy to fix leaks waste the average family the amount of water used to fill a backyard swimming pool each year. Plumbing leaks can run up your family's water bill an extra 10 percent or more, but chasing down these water and money wasting culprits is as easy as 1—2—3. Simply check, twist, and replace your way to fewer leaks and more water savings:

- ⇒Check for silent leaks in the toilet with a few drops of food coloring in the tank, and check your sprinkler system for winter damage.
- ⇒Twist faucet valves; tighten pipe connections; and secure your hose to the spigot. For additional savings, twist a WaterSense labeled aerator onto each bathroom faucet to save water without noticing a difference in flow. They can save a household more than 500 gallons each year—equivalent to the amount water used to shower 180 times!
- ⇒ Replace old plumbing fixtures and irrigation controllers that are wasting water with WaterSense labeled models that are independently certified to use 20 percent less water and perform well.

For more information visit www.epa.gov/watersense.

EPA Wants You To Know

water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring or from human activity.

include:

- A. Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- B. Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from urban discharges, oil and gas production, mining, or farming.
- C. Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.
- D. Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, and septic systems.
- E. Radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and plumbing fixtures. mining activities.

What measures are in place to ensure water is Sewer overflows and backups can cause health hazards, safe to drink?

In order to ensure that tap water is safe to drink, the EPA prescribes regulations, which limit the amount of certain contaminants in water provided by public water systems. Contaminants may be found in drinking water that may cause taste, color, or odor problems. These types of by keeping this material out of the sewer system in the first problems are not necessarily causes for health concerns. For more information on taste, odor, or color of drinking water, please contact the system's business office.

Drinking water, including bottled water, may reasonably be • Put strainers in sink drains to catch food scraps / solids expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline at (800) 426-4791.

Special notice from EPA for the elderly, infants, cancer patients and people with HIV/AIDS or other lakes (or leach into the ground and seep into groundwater immune system problems

You may be more vulnerable than the general population to certain microbial contaminants, such as Cryptosporidium, in drinking water. Infants, some elderly, or immunocompromised persons such as those undergoing chemotherapy for cancer; those who have undergone organ transplants; those who are undergoing treatment with steroids; and people with HIV/AIDS or other immune system disorders can be particularly at risk from infections. You should seek advice about drinking water from your physician or health care provider. Additional guidelines appropriate means to lessen the risk of infection by Cryptosporidium are available from the Safe Drinking Water Hotline at (800) 426-4791.

Information Concerning Lead in Water

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young

children. Lead in drinking water is primarily from materials The sources of drinking water (both tap water and bottled and components associated with service lines and home Corix Utilities (Texas) is responsible for plumbing. providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When minerals and, in some cases, radioactive material, and can your water has been sitting for several hours, you can pick up substances resulting from the presence of animals minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for Contaminants that may be present in source water drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/ safewater/lead.

Water that remains stationary within your home plumbing stormwater runoff, industrial or domestic wastewater for extended periods of time can leach lead out of pipes joined with lead-containing solder as well as brass fixtures or galvanized pipes. Flushing fixtures has been found to be an effective means of reducing lead levels. The flushing process could take from 30 seconds to 2 minutes or longer until it becomes cold or reaches a steady temperature. Faucets, fittings, and valves, including those advertised as "lead-free," may contribute lead to drinking water. Consumers should be aware of this when choosing fixtures and take appropriate precautions. Visit the NSF Web site at www.nsf.org to learn more about lead-containing

Drain Disposal Information

damage home interiors, and threaten the environment. A common cause is sewer pipes blocked by grease, which gets into the sewer from household drains. Grease sticks to the insides of pipes. Over time, the grease can build up and block the entire pipe. Help solve the grease problem place:

- Never pour grease down sink drains or into toilets. Scrape grease into a can or trash.
- for disposal.

Prescription Medication and Hazardous Waste

Household products such as paints, cleaners, oils, and pesticides, are considered to be household hazardous waste. Prescription and over-the-counter drugs poured down the sink or flushed down the toilet can pass through the wastewater treatment system and enter rivers and in a septic system). Follow the directions for proper disposal procedures. Do not flush hazardous waste or prescription and over-the-counter drugs down the toilet or drain. They may flow downstream to serve as sources for community drinking water supplies. Many communities offer a variety of options for conveniently and safely managing these items. For more information, visit EPA website at: www.epa.gov/hw/householdhazardous-waste-hhw.

The Safe Drinking Water Act was passed in 1974 due to concerns congressional about organic chemical contaminants in drinking water and the inefficient manner by which states supervised and monitored drinking water supplies. Congress' aim was to assure that all citizens served by public water systems would be provided high As a result, the EPA set enforceable quality water. standards for health-related drinking water contaminants. The Act also established programs to protect underground sources of drinking water from contamination.

Understanding This Repor abbreviations that are containe	$oldsymbol{t}$ In order to help you understand this report, we want you to understand a few terms and d in it.
Action Level (AL)	The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.
Action Level Goal (ALG)	The level of a contaminant in drinking water below which there is no known or expected risk to health. ALGs allow for a margin of safety.
Avg	Regulatory compliance with some MCLs are based on running annual average of monthly samples.
Level 1 Assessment	A study of the water system to identify potential problems and determine (if possible) why total coliform bacteria have been found in our water system.
Level 2 Assessment	A very detailed study of the water system to identify potential problems and determine (if possible) why an E. coli MCL violation has occurred and/or why total coliform bacteria have been found in our water system on multiple occasions.
Maximum contaminant level or MCL	The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.
Maximum contaminant level goal or MCLG	The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.
Maximum Residual Disinfectant Level or MRDL	The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.
Maximum Residual Disinfectant Level Goal or MRDLG	The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.
MFL	million fibers per liter (a measure of asbestos).
mrem	millirems per year (a measure of radiation absorbed by the body).
N/A	Not Applicable.
NTU	Nephelometric turbidity units (a measure of turbidity).
pCi/L	picocuries per liter (a measure of radioactivity).
ppb	micrograms per liter or parts per billion - or one ounce in 7,350,000 gallons of water.
ppm	milligrams per liter or parts per million - or one ounce in 7,350 gallons of water.
ppq	parts per quadrillion, or picograms per liter (pg/L).
ppt	parts per trillion, or nanograms per liter (ng/L).
Treatment Technique or TT	A required process intended to reduce the level of a contaminant in drinking water.
Grains per gallon (gpg)	Unit of measure for water hardness, typically used by dishwasher and washing machine manufacturers.

Water Loss

was determined that Northeast Washington County Water System had a water loss of 76,809,535 gallons. Corix Utilities (Texas) continues to work to reduce the water loss.

Did You Know?

- ♦ The average family of four uses 255 gallons of water a day, 1,785 gallons a week, and 7,650 gallons per month.
- ◆A single toilet flush uses approximately 5-7 gallons of water.
- ◆ Taking a shower will use approximately 5-10 gallons per minute. A 15-minute shower will use 75-150 gallons.
- ♦ Your kitchen or bathroom sink uses approximately 4-5 gallons a minute.
- ♦ One dishwasher load uses approximately 4-5 gallons a minute.
- ♦ Washing clothes uses approximately 35 gallons per load.

We ask that all our customers help us protect our water sources which are the heart of our community, our way of life and our children's future

Monitoring Your Water

We routinely monitor for contaminants in your drinking water according to Federal and State laws. The following table(s) lists all the drinking water contaminants that were detected in the last round of sampling for the particular contaminant group. The presence of contaminants does not necessarily indicate that water poses a health risk. Unless otherwise noted, the data presented in the table is from testing done

January 1 through December 31, 2020. The EPA or the During the water audit performed for calendar year 2020 it State requires us to monitor for certain contaminants less than once per year because the concentrations of these contaminants are not expected to vary significantly from year to year. Some of the data, though representative of the water quality, maybe more than one year old. MCLs are set at very stringent levels. To understand the possible health effects described for many regulated contaminants, a person would have to drink 2 liters of water every day at the MCL level for a lifetime to have a one-in-a-million chance of having the described health effect.

If You Have Questions Or Want To Get Involved

Because Corix Utilities (Texas) is privately owned, there are no scheduled board meetings. This report is available to individual customers. For questions about the quality of our drinking water, or to obtain a copy of this report, contact Ms. Gloria Broussard at (877)718-4396.

Violations

In 2020, Northeast Washington County Water System performed all required monitoring for contaminants and was in In addition, Northeast Washington County received no violations from the Texas Commission on Environmental Quality and was in compliance with their applicable testing and reporting requirements.

Visit us online at www.corixtexas.com to view the Water Quality Reports. Also visit our website for water conservation tips and other educational material.

Water Quality Test Results								
Contaminant and Unit of Measurement	Dates of sampling	Violation	Level Detected	Range of Results	MCLG	MCL	Likely Source of Contamination	
Radioactive Contaminants								
Alpha emitters (pCi/L)	03/29/18	N	3.3	0 - 3.3	0	15	Erosion of natural deposits	
Beta/Photon Emitters (pCi/L)	03/29/18	N	12	0 - 12	0	50	Erosion of natural deposits. The MCL for beta particles is 4 mrem/year. EPA considers 50 pCi/L to be the level of concern for beta particles.	
Radium 226/228 (pCi/L)	03/29/18	N	3.3	1.5 - 3.3	0	5	Erosion of natural deposits	
Inorganic Contamina	nts							
Fluoride (ppm)	04/27/20	N	0.38	0- 0.38	4.0	4.0	Erosion of natural deposits; Water additive which promotes strong teeth; Discharge from fertilizer and aluminum factories.	
Nitrate (measured as Nitrogen) (ppm)	04/27/20	N	1.59	0.0 - 1.59	10	10	Runoff from fertilizer use; Leaching from septic tanks; sewage; Erosion of natural deposits.	
Arsenic (ppb)	04/27/20	N	5.9	0 - 5.9	0	10	Erosion of natural deposits; Runoff from orchards; Runoff from glass and electronics production wastes.	
Barium (ppm)	04/27/20	N	0.162	0.018 - 0.162	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits.	
Selenium (ppb)	04/27/20	N	7.8	0 - 7.8	50	50	Discharge from petroleum and metal refineries; Erosion of natural deposits; Discharge from mines.	
Stage 2 Disinfectants and Disinfection By-Products								
Chlorine (ppm)	2020	N	1.35	0.76 - 2.84	MRDLG =4	MRDL = 4.0	Water additive used to control microbes	
Haloacetic Acids (HAA5) (ppb)	08/25/20	N	2.2	2.2 - 2.2	N/A	60	By-product of drinking water disinfection	
Total Trihalomethanes (TTHM) (ppb)	08/25/20	N	21.7	21.7 - 21.7	N/A	80	By-product of drinking water disinfection	

- Results in the Level Detected column for radioactive contaminants, inorganic contaminants, synthetic organic contaminants including pesticides and herbicides, and volatile organic contaminants are the highest average at any of the sampling points or the highest detected level at any sampling point, depending on the sampling frequency.
- For chlorine, the MRDL applies to the annual average. The range of results is the range of results of all the individual samples collected during the
 past year.
- For Haloacetic Acids or TTHM, the level detected is the highest locational running annual average (LRAA). Range of Results is the range
 of individual sample results (lowest to highest) for all monitoring locations.
- While your drinking water meets EPA's standard for arsenic, it does contain low levels of arsenic. EPA's standard balances the current
 understanding of arsenic's possible health effects against the costs of removing arsenic from drinking water. EPA continues to research the health
 effects of low levels of arsenic, which is a mineral known to cause cancer in humans at high concentrations and is linked to other health effects such
 as skin damage and circulatory problems.

Lead and Co	pper Cont	taminants
-------------	-----------	-----------

Toda and Coppor Contaminants								
	nant and Unit surement	Date of sampling	Violation	90th Percentile	Number of Sites Exceeding AL	MCLG	AL	Likely Source of Contamination
Lead (pp	b)	07/20/18	N	4.3	0	0		Corrosion of household plumbing systems; Erosion of natural deposits.
Copper (ppm)	07/20/18	N	0.28	0	1.3	1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives.

2020 Coliform Bacteria

Parameter	Number of Positive Samples	Highest Monthly Number of Positive Samples	MCLG	Source of Contaminant
Total Coliform	0	0	0	Naturally present in the environment
Escherichia Coli (E. Coli)	0	0	0	Human and animal fecal waste

Unregulated contaminants

Unregulated contaminants are those for which EPA has not established drinking water standards. The purpose of unregulated contaminant monitoring is to assist EPA in determining the occurrence of unregulated contaminants in drinking water and whether future regulation is warranted.

Contaminant and Unit of Measurement	Date(s)	Violation	Highest Average	Range of Results
Chloroform (ppb)	08/25/20	N	3	< 1 - 3
Bromodichloromethane (ppb)	08/25/20	N	2.4	<1 - 2.4
Dibromochloromethane (ppb)	08/25/20	N	2.7	< 1 - 2.7
Bromoform (ppb)	08/25/20	N	2.4	< 1 - 2.4

Other Water Quality Information					
Parameter	Highest Result	Range of Results	Comments		
Hardness	336 ppm or 19.6 gpg	33.2 - 336 ppm or 1.9 - 19.6 gpg	This is considered very hard water		
Sodium	178 ppm	22.1 - 178 ppm	An 8 ounce glass is considered to be "very low sodium"		

PFAS Testing

Corix Utilities Texas continues efforts to conduct statewide drinking water testing for Per- and Polyfluoroalkyl Substances (PFAS). These man-made compounds are used in the manufacturing of products resistant to water, grease or stains including firefighting foams, cleaners, cosmetics, paints, adhesives and insecticides. PFAS can migrate into the soil, water, and air and is likely present in the blood of humans and animals all over the world. The Environmental Protection Agency (EPA) has established a health advisory level at 70 parts per trillion.

Perfluorooctane Sulfonate (PFOS) and Perfluorooctanoic Acid (PFOA) were tested during 2020 with no detection. No detection means the constituent is not detectable at the minimum reporting limit. 2.0 ng/L is the minimum level the lab is reporting a detection for these parameters. Nanograms per liter (ng/L) equals Parts per trillion (ppt) – One part per trillion corresponds to one minute in 2,000,000 years, or a single penny in \$10,000,000,000.

For more information visit https://www.epa.gov/ground-water-and-drinking-water/drinking-water-health-advisories-pfoa-and-pfos. Corix Utilities Texas is committed to providing safe, reliable, and cost-effective drinking water services to all of our customers.

To access your utility account anytime, anywhere, please register for our customer portal & download MyUtilityConnect at https://connect.myutility.us/connect/

