Clinton Water System

PWS ID: **KY0530077**

Annual Water Quality Report 2022

Message from Seth Whitney, President

Dear Water Service Corporation of Kentucky Customer,

I am pleased to present your Annual Water Quality Report for 2022. Transparency, health, and safety are key priorities in our company's efforts to provide a high-quality, reliable water supply. Included in this report are details about where your water comes from, what it contains, and how it compares to regulatory standards.

We are proud to share this report which is based on water quality testing through December 2022. We continually strive to supply water that meets and/or exceeds all federal and state water quality regulations at your tap.

Treating and maintaining a safe and reliable water supply is not only hard work, but it is rewarding. Our team of local water experts are proudly dedicated to providing safe, reliable, and cost-effective service every day. This commitment includes acting with integrity, protecting the environment, and enhancing the local community.

Best regards,

Este informe contiene información muy importante sobre su agua beber. Tradúzcalo ó hable con alguien que lo entienda bien.

COVID-19 Response

According to the Centers for Disease Control and Prevention (CDC) and the US Environmental Protection Agency (EPA), the virus that causes COVID-19 has not been detected in drinking water. Conventional water treatment methods that use disinfection, such as those provided by Water Service Corporation of Kentucky, should remove or inactivate the virus that causes COVID-19 as they do for other pathogens.

Based on current evidence, the risk to water supplies remains low. Customers can continue using and drinking tap water as usual.

The EPA also encourages the public to help keep household plumbing and our nation's water infrastructure operating properly by only flushing toilet paper. Disinfecting or other sanitary wipes, including those labeled as "flushable" and other non-toilet paper items, should NOT be flushed in toilet.

For more information, visit the CDC at https://stacks.cdc.gov/view/cdc/85879 and EPA at https://stacks.cdc.gov/view/cdc/85879 and EPA at https://stacks.cdc.gov/view/cdc/85879 and EPA at https://www.epa.gov/coronavirus/coronavirus-and-drinking-water-and-wastewater.

Source of Drinking Water

Our sources of water are two wells located in the City of Clinton. They are considered to be ground water sources which draw water from an aquifer. An aquifer is a geological formation that contains water.

Water Service

Corporation of Kentucky[™]

Source Water Assessment (SWA)

The Safe Drinking Water Act Amendments of 1996 requires every system to prepare a source water assessment that addresses the system's susceptibility to potential sources of contamination.

For Groundwater sources, the source water assessment is contained in the Wellhead Protection Plan. Water Service Corporation of Kentucky (WSCKY)-Clinton withdraws water from two wells drilled nearly 300 feet deep into the Sparta Sand formation of the Claiborne Group.

A Wellhead Protection plan has been developed to protect the community's water source. This plan has been approved by the Kentucky Division of Water. The protection area covers approximately 177 acres located completely within the jurisdictional boundaries of the City of Clinton. Potential sources of contamination are from fuel storage and the railroad. The City provides sanitary sewer to the entire community thus reducing the potential for non -point source pollution. Water quality results reveal that the drinking water supply is of very good quality only requiring aeration and chlorination for treatment. There is no indication that the aquifer is impacted at the present time by the existing land use activities. A total of six potential sources of contamination are located within the wellhead protection area.

The susceptibility analysis suggests the aquifer's vulnerability to contamination to be at a medium risk. A copy of the wellhead protection plan can be viewed at the Purchase Area Development District office. Contact Mr. Colby Wilson at 1-844-310-5556 for additional information.

We are pleased to report that our drinking water meets all federal and state requirements.

Visit us online at <u>www.WSCKY.com</u> to view the Water Quality Reports. Also visit our website for water conservation tips and other educational material.

EPA Wants You To Know

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity. Contaminants that may be present in source water include:

- A. Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- B. Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- runoff, and residential uses.
- and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, and septic systems.
- E. Radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities.

What measures are in place to ensure water is safe to drink?

In order to ensure that tap water is safe to drink, the EPA prescribes regulations, which limit the amount of certain contaminants in water provided by public water systems. The Food and Drug Administration (FDA) regulations establish limits for contaminants in bottled water, which must provide the same protection for public health.

expected to contain at least small amounts of some The presence of contaminants does not contaminants. necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Special notice from EPA for the elderly, infants, cancer patients and people with HIV/AIDS or other immune system problems

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno -compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

Information Concerning Lead in Water

Lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. WSCKY is responsible for providing high quality drinking water and removing lead pipes, but cannot control the variety of

materials used in plumbing components in your home. You share the responsibility for protecting yourself and your family from the lead in your home plumbing. You can take responsibility by identifying and removing lead materials within your home plumbing and taking steps to reduce your family's risk. Before drinking tap water, flush your pipes for several minutes by running your tap, taking a shower, doing laundry or a load of dishes. You can also use a filter certified by an American National Standards Institute accredited certifier to reduce lead in drinking water. If you are concerned about lead in your water and wish to have your water tested, contact WSCKY at 1-844-310-5556. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available at http://www.epa.gov/safewater/lead

Water that remains stationary within your home plumbing C. Pesticides and herbicides, which may come from a for extended periods of time can leach lead out of pipes variety of sources such as agriculture, urban stormwater joined with lead-containing solder as well as brass fixtures or galvanized pipes. Flushing fixtures has been found to D. Organic chemical contaminants, including synthetic be an effective means of reducing lead levels. The flushing process could take from 30 seconds to 2 minutes or longer until it becomes cold or reaches a steady temperature. Faucets, fittings, and valves, including those advertised as "lead-free," may contribute lead to drinking water. Consumers should be aware of this when choosing fixtures and take appropriate precautions. Visit the NSF Web site at www.nsf.org to learn more about lead-containing plumbing fixtures.

Drain Disposal Information

Sewer overflows and backups can cause health hazards, damage home interiors, and threaten the environment. A common cause is sewer pipes blocked by grease, which gets into the sewer from household drains. Grease sticks to the insides of pipes. Over time, the grease can build up and block the entire pipe. Help solve the grease problem Drinking water, including bottled water, may reasonably be by keeping this material out of the sewer system in the first place:

- Never pour grease down sink drains or into toilets. Scrape grease into a can or trash.
- Put strainers in sink drains to catch food scraps / solids for disposal.

Prescription Medication and Hazardous Waste

Household products such as paints, cleaners, oils, and pesticides, are considered to be household hazardous waste. Prescription and over-the-counter drugs poured down the sink or flushed down the toilet can pass through the wastewater treatment system and enter rivers and lakes (or leach into the ground and seep into groundwater in a septic system). Follow the directions for proper disposal procedures. Do not flush hazardous waste or prescription and over-the-counter drugs down the toilet or drain. They may flow downstream to serve as sources for community drinking water supplies. Many communities offer a variety of options for conveniently and safely managing these items. For more information, visit the EPA website at: www.epa.gov/hw/householdhazardous-waste-hhw.

The Safe Drinking Water Act was passed in 1974 due to congressional concerns about organic chemical contaminants in drinking water and the inefficient manner by which states supervised and monitored drinking water supplies. Congress' aim was to assure that all citizens served by public water systems would be provided high As a result, the EPA set enforceable quality water. standards for health-related drinking water contaminants. The Act also established programs to protect underground sources of drinking water from contamination.

Understanding This Report In order to help you understand this report, we want you to understand a few terms and abbreviations that are contained in it.

Action level (AL)	The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.			
EPA	Environmental Protection Agency.			
Locational Running Annual Average (LRAA)	The average of sample analytical results for samples taken at a particular monitoring location during the previous four calendar quarters.			
Maximum Contaminant Level (MCL)	The highest level of a contaminant that is allowed in drinking water. MCL's are set as close to the MCLG's as feasible using the best available treatment technology.			
Maximum Contaminant Level Goal (MCLG)	The "goal" is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLG's allow for a margin of safety.			
Maximum Residual Disinfectant Level (MRDL)	The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.			
Maximum Residual Disinfectant Level Goal (MRDLG)	The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.			
Not applicable (N/A)	Not applicable.			
Not Detected (ND)	Analysis or test results indicate the constituent is not detectable at minimum reporting limit.			
Parts per million (ppm) or Milligrams per liter (mg/l)	One part per million corresponds to one minute in two years or a single penny in \$10,000.			
Parts per billion (ppb) or Micrograms per liter (ug/l)	One part per billion corresponds to one minute in 2,000 years or a single penny in \$10,000,000.			
Picocuries per liter (pCi/L)	A measure of radioactivity in the water.			
Nephelometric Turbidity Units (NTU)	A measure of water clarity. Turbidity in excess of 5 NTU is just noticeable to the average person.			
Treatment Technique (TT)	A treatment technique is a required process intended to reduce the level of a contaminant in drinking water.			
Running Annual Average (RAA)	Calculated running annual average of all contaminant levels detected.			

Help Protect our Resources

Help put a stop to the more than **1 trillion gallons of water lost annually** nationwide due to household leaks. These easy to fix leaks waste the average family the amount of water used to fill a backyard swimming pool each year. Plumbing leaks can run up your family's water bill an extra 10 percent or more, but chasing down these water and money wasting culprits is as easy as 1—2—3. Simply check, twist, and replace your way to fewer leaks and more water savings:

- ⇒ <u>Check</u> for silent leaks in the toilet with a few drops of food coloring in the tank, and check your sprinkler system for winter damage.
- ⇒ <u>Twist</u> faucet valves; tighten pipe connections; and secure your hose to the spigot. For additional savings, twist a WaterSense labeled aerator onto each bathroom faucet to save water without noticing a difference in flow. They can save a household more than 500 gallons each year—equivalent to the amount water used to shower 180 times!
- ⇒ **<u>Replace</u>** old plumbing fixtures and irrigation controllers that are wasting water with WaterSense labeled models that are independently certified to use 20 percent less water and perform well.

For more information visit www.epa.gov/watersense.

Monitoring Your Water

We routinely monitor for contaminants in your drinking water according to Federal and State laws. The tables below lists all the drinking water contaminants that were <u>detected</u> in the last round of sampling for each particular contaminant group. The presence of contaminants does <u>not</u> necessarily indicate that water poses a health risk. **Unless otherwise noted, the data presented in the table is from testing done January 1 through December 31, 2022.** The EPA or the State requires us to monitor for certain contaminants less than once per year because the concentrations of these contaminants are not expected to vary significantly from year to year. Some of the data, though representative of the water quality, maybe more than one year old.

If You Have Questions Or Want To Get Involved

Since WSCKY is privately owned, there are no scheduled board meetings. This report is available to individual customers. For questions about the quality of our drinking water, or to obtain a copy of this report, contact **Mr. Colby Wilson at 1-844-310-5556.**

<u>We ask that all our customers help us protect our</u> <u>water sources which are the heart of our community,</u> <u>our way of life and our children's future.</u>

To access your utility account anytime, anywhere, please register for our customer portal & download My Utility Account at https://account.myutility.us

				Ν	later Qua	lity Test	Results				
Contaminants (u		Collec Dat	e	Highest Level Detected	Range of Levels Detected	MCLG	MCL	Violation	Likely Source of Contamination		
Disinfectant	ts and	Disin	ectio	n By-Pro							
Chlorine (ppm)		2022		1.33	0.38 - 1.33	MRDLG = 4	MRDL = 4	Ν	Water additive used to control microbes.		
Total Trihalomethanes 202 (TTHM) (ppb)		202		9	4 - 9	No goal for the total	80	Ν	By-product of drinking water disinfection.		
Inorganic C	ontam	inants	;								
3arium (ppm)		2020 0.		0.049	0.049 - 0.049	2	2	Ν	Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits.		
Fluoride (ppm)		202	0	0.75	0.75 – 0.75	4	4.0	Ν	Erosion of natural deposits; Water additive which promotes strong teeth; Discharge from fertilizer and aluminum factories.		
Nitrate [measured as Nitrogen] (ppm)		2022		1.28	1.28 - 1.28	10	10	Ν	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits.		
Radioactive	Conta	mina	nts	· · · · ·	·						
Combined Radi 226/228 (pCi/L)		202		0.7	0.7	0	5	Ν	Erosion of natural deposits.		
Lead & Cop	-		nants								
Contaminant (units)	Date Sample		CLG	Action Level (AL)	90th Percentile	Range of Detection					
Copper (ppm)	r (ppm) 2022		1.3	1.3	0.473	0.170 - 0.830	0	N	Erosion of natural deposits; Leaching from wood preservatives; Corrosion of household plumbing systems.		
Lead (ppb)	2022	2	0	15	3	2 - 4	0	N	Corrosion of household plumbing systems; Erosion of natural deposits.		
Secondary (Contar	ninan	ts								
Contaminants (units)		Collec Dat		Highest Level Detected	Range of Levels Detected	MCLG	MCL	Violation	Likely Source of Contamination		
*Copper Free (ppm)		202	2022 0.		0.008– 0.008	N/A	1	Ν	Erosion of natural deposits, Leaching from wood preservatives		
**Fluoride (ppm)		202	2022 0.7		0.72– 0.72	N/A	2	Ν	Erosion of natural deposits; Water additive which promotes strong teeth; Discharge from fertilizer and aluminum factories		
*The copper sa **The fluoride s											
EPA requires requested test							ble above.	Additiona	lly, some of the most often		
Other Water											
Water Quality Parameter					Average Result in 2020						
Sodium				13.0 p	13.0 ppm (an 8 ounce serving is free by FDA guidelines)						
FAS Testing											
Polyfluoroalkyl vater, grease nigrate into th Environmental nas proposed	Substa or stain e soil, Protect enforce	nces (I s inclu water, tion Ag able lir	PFAS) ding fii and ai ency (nits. W	These merighting for the termination of	nan-made co foams, clear kely presen established ewing the p	ompounds a ners, cosm t in the blo health adv roposed M	are used ir etics, pain ood of hun isory level CLs to eva	h the manu ts, adhesiv hans and s s for Genλ Iluate the i	king water testing for Per- ar facturing of products resistant ves and insecticides. PFAS ca animals all over the world. Th K, PFBS, PFOA, and PFOS, ar mpact on our operations and ca stomers with safe and reliab		

For the latest PFAS results, visit our website at <u>www.WSCKY.com</u> and click Water Quality Reports under Water Safety. For more information visit <u>https//www.epa.gov/pfas</u>.

Water Service Corporation of Kentucky is committed to providing safe, reliable, and cost-effective drinking water services to all of our customers.